

Vactor 2100i – EQ # 15816

PRODUCT DESCRIPTION

2018 Vactor 2100i with Roots 824-18" Hg. Blower, 12 Yard Debris body, 1300 Gallons of Fresh Water

STANDARD OPTIONS

- 48" x 22" x 24" Curb Side Aluminum Toolbox
- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Remote Pendant Control w/35' Cord
- Intuitouch Electronic Package
- Double Acting Dump Hoist Cylinder
- Handgun Assembly w/35' x 1/2" Hose w/Quick Disconnects
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Flexible Hose Guide
- 30 Deg. Sand Nozzle w/Carbide Inserts
- 30 Deg. Sanitary Nozzle w/Carbide Inserts
- 15 Deg. Penetrator Nozzle w/Carbide Inserts
- Nozzle Storage Rack
- Vacuum Tube Storage: Curbside (2) Pipe, Rear Door (2) Pipe
- 1" Nozzle
- 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks and Door Power-up/Down, Open/
- Dual 10" Stainless Steel Float Shut Off System/Rear Mounted
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Water Sight Gauge DS/PS
- Liquid Float Level Indicator
- Boom Transport Post Storage
- 2000 PSI Water Pressure
- 3" Y-Strainer @ Water Pump w/3" Drain Valve
- Performance Package: (Hyd Variable Flow, Dual PTO's. Dual Hyd. f
- 1" Water Relief Valve for Vactor Water Pump
- Stainless Steel Microstrainer
- Blower Air Shift Controls
- Hydraulic Cooling Package
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Footage Counter - Mechanical
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Tachometer/Chassis Engine W/Hourmeter
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Hydraulic Tank Shutoff Valves
- 8" Vacuum Pipe Package
- Emergency Flare Kit
- Fire Extinguisher 5 Lbs.
- Low Water Indicator on Screen w/ Alarm and Water Pump Flow Indi
- Front Joystick Boom Control
- Digital Hose Footage Counter
- Water Pump Hour Meter
- PTO Hour Meter
- Camera System, Rear Only
- Digital Water Pressure Gauge

ADDITIONAL FEATURES

- 3" Y-Strainer w/25' Fill Hose
- Roots 824-18" Hg. Blower
- 180 Degree Rotation, 10 Ft. Hydraulic Telescoping Boom
- 100 GPM Variable Flow Water System
- 1" x 600' Piranha Sewer Hose, 2500 PSI
- Hydraulic Extending/Rotating 15" Hose Reel (1" x 80')
- Debris Body Flush Out System
- 6" Knife Valve w/Cam-Loc, Rear Door, 3:00 Position
- Pump Off Ports and Programming
- Internal Body Screen with Pump Off Ports Only
- Centrifugal Separators
- Folding Pipe Rack, Curbside
- Folding Pipe Rack, Streetside
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Air Purge
- Hot Shift Blower Drive
- Wireless Controls, including hose reel controls
- Cold Weather Recirculator, PTO Driven, 25 GPM
- Rodder System Accumulator- Jack Hammer on/off co
- Handgun Couplers, Front and Rear
- Hydro Excavation Kit/Retract Reel w/1/2" X 50' Hose
- 50' x 1/2" Hose Reel Spring Loaded - Mounted Curbside
- 50' x 1/2" 2500 PSI Hose with 10,000 PSI Burst Pressu
- Earth Quaker plus excavation gun with 3' extension
- Nozzle Package to Include:
 - Rotating / Spinner Nozzle (Turbo Nozzle)
 - 2 Tip Low Flow Nozzle
 - 3 Tip High Flow Nozzle
 - Adjustable through multi-flow - from 2-23 gpm
- Cyclone Washout System
- Water Heater, 800,000 BTU's (May Limit Total Water
- Rodder Hose Pinch Roller
- Handgun Hose Reel w/Spring Retract
- Hydraulic Oil Temp Alarm
- Rear Directional Control, Signal Master LED Arrow Si
- Waterproof, Rechargeable, Wireless, Handheld, LED
- Strobe/Revolving Light, Rear
- LED Mid-Ship Turn Signals
- Worklights (2), LED, Telescoping Boom
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/(2) L
- Toolbox, Behind Cab
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24i
- Toolbox, Driver Side Subframe, 18w x 24h x 24d
- Safety Cone Storage Rack - Post Style
- Digital Water Level Indicator
- Blower High Temperature Safety Shutdown

VACTOR 2112i – EQ #15816

ADDITIONAL FEATURES – Cont.

- Toolbox, Front Bumper Mounted, 16 x 12 x 18 with (2) LED Side Markers
- Toolbox, Driver Side Chassis Frame 24w x 24h x 24d
- Toolbox, Driver Side Subframe, 18w x 24h x 24d
- Safety Cone Storage Rack - Post Style
- Digital Water Pressure Gauge
- Blower High Temperature Safety Shutdown
- Switches in dash/no center stand
- Water heater (800k) back of cab with 1300/1500gal of H2O
- Partial toolbox with Water heater back of cab with 1300/1500gal of H2O

SPECIALTY SYSTEM ITEMS

- 3" Trash Pump
- Rodder Pump Drain Valve System
- Hydro-Excavation Kit

PAINT

- Module Paint, Dupont Imron Elite - Sanded Primer Base
- Module Paint Color: White
- Cab Paint Color: White

CHASSIS

Kenworth T880 6x4 Tandem Axle Chassis, Cummins X15-450, 450 HP Engine and Allison 4000 RDS Automatic Transmission

VACTOR 2012i – EQ # 15816

